

Stainless Steel Tables *All Welded 16 Gauge Stainless Steel*

- All 16 gauge Stainless Steel tops, shelves, legs and backsplash.
- All TIG welded and shipped set up.
- High polish finish.
- Backsplashes are 6" high with 45 degree return angle.
- Undershelf surface is 10" above the floor.
- Adjustable height stainless steel bullet feet are standard.
- Legs and cross bracing are 1 5/8" diameter 16 gauge Stainless Steel tubing.
- Mobile tables available with swivel stem casters (two locking) with 5" x 1 1/4" polyurethane wheels.
- Galvanized Hat channels deaden sound and reinforce the top to maintain a level work surface.
- Standard Sizes: 24", 30", or 36" wide by 3', 4', 5', 6', or 8' long.
- Six legs on all 8' and longer tables.
- Custom tables and 14 gauge Stainless Steel tables are available upon request.

Model Number	Order Number	Length		Approx. Ship Weight	
		(in)	(mm)	(lb)	(kg)
24" Width (610mm)					
DTR-2436	135191	36	914	54	24
DTR-2448	129146	48	1,219	64	29
DTR-2460	135247	60	1,524	74	34
DTR-2472	135255	72	1,829	84	38
DTR-2484	135263	84	2,134	94	43
DTR-2496	135271	96	2,438	114	52
30" Width (762mm)					
DTR-3036	135298	36	914	60	24
DTR-3048	135301	48	1,219	72	33
DTR-3060	135319	60	1,524	83	38
DTR-3072	135327	72	1,829	95	43
DTR-3084	135335	84	2,134	115	52
DTR-3096	135343	96	2,438	126	57
36" Width (914mm)					
DTR-3636	135360	36	914	69	31
DTR-3648	135378	48	1,219	79	36
DTR-3660	135386	60	1,524	92	42
DTR-3672	135394	72	1,829	105	48
DTR-3684	135407	84	2,134	116	53
DTR-3696*	135415	96	2,438	140	63

Stainless Steel Work Tables



Model Number	Order Number	Length		Approx. Ship Weight	
		(in)	(mm)	(lb)	(kg)
24" Width (610mm)					
DTS-2436	135431	36	914	60	27
DTS-2448	135440	48	1,219	73	33
DTS-2460	135458	60	1,524	86	39
DTS-2472	135466	72	1,829	100	45
DTS-2484	135474	84	2,134	120	54
DTS-2496*	135482	96	2,438	134	61
30" Width (762mm)					
DTS-3036	135503	36	914	73	33
DTS-3048	135511	48	1,219	84	38
DTS-3060	135520	60	1,524	100	45
DTS-3072	135538	72	1,829	116	53
DTS-3084	135546	84	2,134	136	62
DTS-3096*	135554	96	2,438	155	70
36" Width (914mm)					
DTS-3636	135571	36	914	82	37
DTS-3648	135589	48	1,219	94	43
DTS-3660	135597	60	1,524	113	51
DTS-3672	135600	72	1,829	131	59
DTS-3684	135618	84	2,134	150	68
DTS-3696*	135626	96	2,438	177	80

Stainless Steel Work Tables with Stainless Steel Undershelf




Freight Class: 150

*72", 84" & 96" long tables are standard with six legs.

WIN-HOLT offers a full line of Stainless Steel products. If you do not see it listed in our Catalog, ask your WIN-HOLT representative for assistance. We would appreciate the opportunity to quote you.

Equipment Guide

- ✓ **BEST**
- ✓ **HEAVY DUTY USE**
- ✓ **HACCP HELPER**
- ✓ **LIFE WARRANTY AGAINST RUST**



Option

Specify option by adding suffix to model numbers listed below.

- /M2LC** Mobile Table - 4 legs, 2 with locking casters
- /M3LC** Mobile Table- 6 legs, 3 with locking casters
- /M4LC** Mobile Table- 4 legs, 4 with locking casters
- /M6LC** Mobile Table- 6 legs, 6 with locking casters

Stainless Steel Work Tables with Backsplash



Model Number	Order Number	Length		Approx. Ship Weight	
		(in)	(mm)	(lb)	(kg)
24" Width (610mm)					
DTB-2436	135642	36	914	59	27
DTB-2448	135651	48	1,219	71	32
DTB-2460	135669	60	1,524	82	37
DTB-2472	135677	72	1,829	94	43
DTB-2484	135685	84	2,134	110	50
DTB-2496*	135693	96	2,438	126	57
30" Width (762mm)					
DTB-3036	135714	36	914	65	29
DTB-3048	135722	48	1,219	78	35
DTB-3060	135731	60	1,524	91	41
DTB-3072	135749	72	1,829	104	47
DTB-3084	135757	84	2,134	120	54
DTB-3096*	135765	96	2,438	139	63
36" Width (914mm)					
DTB-3636	135781	36	914	70	32
DTB-3648	135790	48	1,219	79	36
DTB-3660	135802	60	1,524	90	41
DTB-3672	135811	72	1,829	105	48
DTB-3684	135829	84	2,134	125	57
DTB-3696*	135837	96	2,438	141	64

Stainless Steel Work Tables with Backsplash and Undershef



Model Number	Order Number	Length		Approx. Ship Weight	
		(in)	(mm)	(lb)	(kg)
24" Width (610mm)					
DTSB-2436	135853	36	914	65	29
DTSB-2448	135861	48	1,219	81	37
DTSB-2460	135870	60	1,524	95	43
DTSB-2472	135888	72	1,829	111	50
DTSB-2484	135896	84	2,134	131	59
DTSB-2496*	135909	96	2,438	147	67
30" Width (762mm)					
DTSB-3036	135925	36	914	73	33
DTSB-3048	135933	48	1,219	90	41
DTSB-3060	135941	60	1,524	109	49
DTSB-3072	135950	72	1,829	126	57
DTSB-3084	135968	84	2,134	142	64
DTSB-3096*	135976	96	2,438	168	76
36" Width (914mm)					
DTSB-3636	135992	36	914	81	37
DTSB-3648	136004	48	1,219	95	43
DTSB-3660	136012	60	1,524	111	50
DTSB-3672	136021	72	1,829	132	60
DTSB-3684	136039	84	2,134	151	68
DTSB-3696*	136047	96	2,438	177	80

Freight Class: 150

Stainless Steel Tables with Poly Top *All Welded 16 Gauge Stainless Steel*

- Poly top is 5/8" thick and sectioned for easy removal for cleaning. Removable and replaceable clips hold poly top secure.
- Thicker 3/4" poly tops also available. Welded corner tabs are standard on tables with 3/4" poly top.
- Tops are 5/8" thick Polyethylene. Poly tops are available 3/4" thick, also. The poly tops are dishwasher safe and high-temperature safe to 180° F and may be steam cleaned.

- All 16 gauge Stainless Steel, backsplash, leg and undershelf.
- All TIG welded and shipped set up.
- Legs and cross bracing are 1 5/8" diameter 16 gauge Stainless Steel tubing. Frame for Poly top is 1 1/4" square tubing.
- Backsplash are 6" high with 45 degree return angle.
- Undershelf surface is 10" above the floor.

Model Number	Order Number	Length		Approx. Ship Weight	
		(in)	(mm)	(lb)	(kg)
24" Width (610mm)					
DPTR-2436	162763	36	914	54	24
DPTR-2448	162771	48	1,219	64	29
DPTR-2460	162798	60	1,524	74	34
DPTR-2472	162587	72	1,829	84	38
DPTR-2484	162801	84	2,134	94	43
DPTR-2496*	162579	96	2,438	114	52
30" Width (762mm)					
DPTR-3036	162819	36	914	60	24
DPTR-3048	162835	48	1,219	72	33
DPTR-3060	162843	60	1,524	83	38
DPTR-3072	162851	72	1,829	95	43
DPTR-3084	162860	84	2,134	115	52
DPTR-3096*	162886	96	2,438	126	57
36" Width (914mm)					
DPTR-3636	162894	36	914	69	31
DPTR-3648	162907	48	1,219	79	36
DPTR-3660	162915	60	1,524	92	42
DPTR-3672	162923	72	1,829	105	48
DPTR-3684	162931	84	2,134	116	53
DPTR-3696*	185105	96	2,438	140	63

Stainless Steel Work Tables with Poly Top



Model Number	Order Number	Length		Approx. Ship Weight	
		(in)	(mm)	(lb)	(kg)
24" Width (610mm)					
DPTS-2436	162940	36	914	60	27
DPTS-2448	162958	48	1,219	73	33
DPTS-2460	162966	60	1,524	86	39
DPTS-2472	162982	72	1,829	100	45
DPTS-2484	162991	84	2,134	120	54
DPTS-2496*	163002	96	2,438	134	61
30" Width (762mm)					
DPTS-3036	163011	36	914	73	33
DPTS-3048	163029	48	1,219	84	38
DPTS-3060	163037	60	1,524	100	45
DPTS-3072	163045	72	1,829	116	53
DPTS-3084	163053	84	2,134	136	62
DPTS-3096*	163096	96	2,438	155	70
36" Width (914mm)					
DPTS-3636	163109	36	914	82	37
DPTS-3648	163117	48	1,219	94	43
DPTS-3660	163125	60	1,524	113	51
DPTS-3672	163133	72	1,829	131	59
DPTS-3684	163150	84	2,134	150	68
DPTS-3696*	172574	96	2,438	160	75

Stainless Steel Work Tables with Poly Top and Undershelf



*72", 84" & 96" long tables are standard with six legs.

Freight Class: 150


WIN-HOLT offers a full line of Stainless Steel products. If you do not see it listed in our Catalog, ask your WIN-HOLT representative for assistance. We would appreciate the opportunity to quote you.

- Hat Channels deaden sound and reinforce the top to maintain a level work surface.
- Adjustable height Stainless Steel bullet feet.
- Mobile tables available with swivel stem casters (two locking) with 5" x 1 1/4" polyolefin wheels.
- Six legs on all 8' and longer tables.
- Standard Sizes: 24", 30", or 36" wide by 3', 4', 5', 6', or 8' long.

- Custom tables and 14 gauge Stainless Steel tables are available upon request.

Equipment Guide

- ✓ **BEST**
- ✓ **HEAVY DUTY USE**
- ✓ **HACCP HELPER**
- ✓ **LIFE WARRANTY AGAINST RUST**



Stainless Steel Work Tables with Poly Top and Backsplash



Model Number	Order Number	Length		Approx. Ship Weight	
		(in)	(mm)	(lb)	(kg)
24" Width (610mm)					
DPTB-2436	163176	36	914	59	27
DPTB-2448	163184	48	1,219	71	32
DPTB-2460	163192	60	1,524	82	37
DPTB-2472	163205	72	1,829	94	43
DPTB-2484	163213	84	2,134	110	50
DPTB-2496*	163221	96	2,438	126	57
30" Width (762mm)					
DPTB-3036	163230	36	914	65	29
DPTB-3048	163248	48	1,219	78	35
DPTB-3060	163256	60	1,524	91	41
DPTB-3072	163264	72	1,829	104	47
DPTB-3084	163272	84	2,134	120	54
DPTB-3096*	163281	96	2,438	139	63
36" Width (914mm)					
DPTB-3636	163299	36	914	70	32
DPTB-3648	163301	48	1,219	79	36
DPTB-3660	163310	60	1,524	90	41
DPTB-3672	163328	72	1,829	105	48
DPTB-3684	163336	84	2,134	125	57
DPTB-3696*	185148	96	2,438	135	61

Stainless Steel Work Tables with Poly Top, Backsplash and Undershef



Model Number	Order Number	Length		Approx. Ship Weight	
		(in)	(mm)	(lb)	(kg)
24" Width (610mm)					
DPTSB-2436	163344	36	914	65	29
DPTSB-2448	163352	48	1,219	81	37
DPTSB-2460	163361	60	1,524	95	43
DPTSB-2472	163379	72	1,829	111	50
DPTSB-2484	163387	84	2,134	131	59
DPTSB-2496*	163395	96	2,438	147	67
30" Width (762mm)					
DPTSB-3036	163408	36	914	73	33
DPTSB-3048	163416	48	1,219	90	41
DPTSB-3060	163424	60	1,524	109	49
DPTSB-3072	163432	72	1,829	126	57
DPTSB-3084	163441	84	2,134	142	64
DPTSB-3096*	163459	96	2,438	168	76
36" Width (914mm)					
DPTSB-3636	163467	36	914	81	37
DPTSB-3648	163475	48	1,219	95	43
DPTSB-3660	163483	60	1,524	111	50
DPTSB-3672	163491	72	1,829	132	60
DPTSB-3684	163504	84	2,134	151	68
DPTSB-3696*	171897	96	2,438	162	73

Option

Specify option by adding suffix to model numbers listed below.

- /M2LC** Mobile Table - 4 legs, 2 with locking casters
- /M3LC** Mobile Table- 6 legs, 3 with locking casters
- /M4LC** Mobile Table- 4 legs, 4 with locking casters
- /M6LC** Mobile Table- 6 legs, 6 with locking casters

Freight Class: 150